



***ALL RENDERS AND PICTURES ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY,
REFER TO QUOTE AND COMPONENT LIST IF APPLICABLE FOR PRODUCTS**






PARK N PLAY DESIGN
#20, 10 WRANGLER PLACE S.E.
ROCKY VIEW COUNTY, AB
T1X 0L7
(866) 551-8188
WWW.PARKNPLAYDESIGN.COM



IMPORTANT: Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614-20

RECOMENDED AGE:	2-5 & 5-12
TYPE OF SURFACING:	EWf
TOTAL AREA:	218.2 SQM
TYPE OF CURB:	CONCRETE
LENGTH OF CURB:	64 M
FALL HEIGHT:	2.44 M
INSTALLATION METHOD:	CHANNEL



COMME-R-ETTE PARK
OPTION 1 - OVERALL



BOB MCLARTY
519-505-4633
bob@parknplaydesign.com

PROJECT NAME:	OE3729
DATE:	MAY 12 2025
SCALE:	1:125
DRAWN BY:	BD

**THIS DRAWING CAN BE SCALED ONLY
WHEN IN AN 24"X36" FORMAT**




***ALL RENDERS AND PICTURES ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY, REFER TO QUOTE AND COMPONENT LIST IF APPLICABLE FOR PRODUCTS**






PARK N PLAY DESIGN
#20, 10 WRANGLER PLACE S.E.
ROCKY VIEW COUNTY, AB
T1X 0L7
(866) 551-8188
WWW.PARKNPLAYDESIGN.COM



IMPORTANT: Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614-20

RECOMENDED AGE:	2-5 & 5-12
TYPE OF SURFACING:	EWF
TOTAL AREA:	218.2 SQM
TYPE OF CURB:	CONCRETE
LENGTH OF CURB:	64 M
FALL HEIGHT:	2.44 M
INSTALLATION METHOD:	CHANNEL



OWEN HEIGHTS PARK
OPTION 1 - OVERALL



BOB MCLARTY

519-505-4633
bob@parknplaydesign.com

PROJECT NAME:	OE3729
DATE:	MAY 12 2025
SCALE:	1:125
DRAWN BY:	BD


THIS DRAWING CAN BE SCALED ONLY WHEN IN AN 24"X36" FORMAT







***ALL RENDERS AND PICTURES ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY,
REFER TO QUOTE AND COMPONENT LIST IF APPLICABLE FOR PRODUCTS**






PARK N PLAY DESIGN
#20, 10 WRANGLER PLACE S.E.
ROCKY VIEW COUNTY, AB
T1X 0L7
(866) 551-8188
WWW.PARKNPLAYDESIGN.COM



IMPORTANT: Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614-20

RECOMENDED AGE:	2-5 & 5-12
TYPE OF SURFACING:	EWF
TOTAL AREA:	218.2 SQM
TYPE OF CURB:	CONCRETE
LENGTH OF CURB:	64 M
FALL HEIGHT:	2.44 M
INSTALLATION METHOD:	CHANNEL



COMME-R-ETTE PARK
OPTION 2 - OVERALL



BOB MCLARTY
519-505-4633
bob@parknplaydesign.com

PROJECT NAME:	OE3729
DATE:	MAY 12 2025
SCALE:	1:125
DRAWN BY:	BD

**THIS DRAWING CAN BE SCALED ONLY
WHEN IN AN 24"X36" FORMAT**



***ALL RENDERS AND PICTURES ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY, REFER TO QUOTE AND COMPONENT LIST IF APPLICABLE FOR PRODUCTS**






PARK N PLAY DESIGN
#20, 10 WRANGLER PLACE S.E.
ROCKY VIEW COUNTY, AB
T1X 0L7
(866) 551-8188
WWW.PARKNPLAYDESIGN.COM



IMPORTANT: Soft resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614-20

RECOMENDED AGE:	2-5 & 5-12
TYPE OF SURFACING:	EWf
TOTAL AREA:	218.2 SQM
TYPE OF CURB:	CONCRETE
LENGTH OF CURB:	64 M
FALL HEIGHT:	2.44 M
INSTALLATION METHOD:	CHANNEL



OWEN HEIGHTS PARK
OPTION 2 - OVERALL



BOB MCLARTY

519-505-4633
bob@parknplaydesign.com

PROJECT NAME:	OE3729
DATE:	MAY 12 2025
SCALE:	1:125
DRAWN BY:	BD

THIS DRAWING CAN BE SCALED ONLY WHEN IN AN 24"X36" FORMAT



